EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	14	717/124-133.ccls. and (trace or profil$4) same (stor$4 or buffer) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:34
S9	5	("717"/$.ccls.or "714"/$.ccls.) and (trace or profil$4) same (stor$4 or buffer) same path same (uncondition$3 or condition$3 or jump) with (taken or untaken)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:40
S10	50	("717"/$.ccls.or "714"/$.ccls.) and (trace or profil$4) same (stor$4 or buffer) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:43
S11	175	("717"/$.ccls.or "714"/$.ccls.) and (trace or profil$4) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:53
S12	12	("717"/$.ccls.or "714"/$.ccls.) and (trace) same (profil$4) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 17:47

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	396	(trace) and path with profil$4 and(branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:07
L3	177	"717"/$.ccls. and (trac$3 or profil$5) and path with profil$4 and(branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:17
L4	305	(trac$3 with profil$5) and path with profil$4 and(branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:14
L5	37	"717"/$.ccls. and (trac$3 or profil$5) and path with profil$4 and(branch) same (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:18
L8	26	"717"/$.ccls. and (trac$3 or profil$5) same path same (buffer) same (reduc$4 or compact$3 or remov$4 or eliminat$4 or delet$4 or dump$4 or mov$3 or cop$3 or compress$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:25
L9	319	(id or identif$7) same (trac$3 or profil$5) same path same (buffer) same (reduc$4 or compact$3 or remov$4 or eliminat$4 or delet$4 or dump$4 or mov$3 or cop$3 or compress$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 13:30
L21	8	(profil$5) with path same (reduc$4 or compact$3 or remov$4 or eliminat$4 or delet$4 or dump$4 or mov$3 or cop$3 or compress$3 or minimiz$5) with trace with (record$3 or buffer or storage or stor$3 or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 14:59

EAST Search History

L22	406	(profil$5) with path same (reduc$4 or compact$3 or remov$4 or eliminat$4 or delet$4 or dump$4 or mov$3 or cop$3 or compress$3 or minimiz$5) with (record$3 or buffer or storage or stor$3 or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 17:11
L48	292	(count$3 or increment$3 or trac$3) same (fall$1through or "fall through" or jump or unconditional$3) same conditional same taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 17:43
L49	57	path same (count$3 or increment$3 or trac$3) same (fall$1through or "fall through" or jump or unconditional$3) same conditional same taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 17:59
L50	123	path same (count$3 or increment$3 or trac$3) same (fall$1through or "fall through" or jump or unconditional$3) same conditional	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 18:00
L52	344	trace with buffer with (stor$3 or mov$3) with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 18:06
L53	41	trace with buffer with (over$1flow or limit$3 or space) same (stor$3 or mov$3) with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 18:09
L55	28	trace with buffer with (over$1flow or full) same (stor$3 or mov$3) with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/19 18:09

S2	5	(compact$3 or reduc$3 or over$1flow or limit$5 or remov$4 or dump$4) same (trace with buffer) same (branch) same path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:29
S6	14	717/124-133.ccls. and (trace or profil$4) same (stor$4 or buffer) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:34
S8	4	(717/124-133.ccls.or 714/37-57.ccls.) and (trace or profil$4) same (stor$4 or buffer) same path same (uncondition$3 or condition$3 or jump) with (taken or untaken)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 12:38
S12	12	("717"/$.ccls.or "714"/$.ccls.) and (trace) same (profil$4) same path same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 17:47
S13	2077	(trace or profil$3) same branch same (uncondition$3 or condition$3 or jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 17:47
S14	144	(trace or profil$3) same branch same (uncondition$3 or jump) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 17:48
S15	70	(trace or profil$3) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 17:48

EAST Search History

S16	48	(trace) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 18:18
S18	95	(trace) same (path or (flow adj2 graph)) and branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 18:19
S20	89	(trace) and (path or (flow adj2 graph)) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:09
S23	89	(trace) and (path or (flow adj2 graph)) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:10
S24	222	(trace) and (path or (flow)) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:18
S25	24	(trace) same ((function or method or module) near5 call$3) and (path or (flow)) same branch same (uncondition$3) same (condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:23
S26	1944	(trace) same ((function or method or module) near5 call$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:27

S27	487	(trace) same (path or flow) with profil$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB ·	OR	ON	2007/04/22 13:34
S30	11	(trace with buffer) same (call or flow or control-flow) with profil$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:41
S32	221	(trace with buffer) same (call or call-flow or call-path or callpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:44
S33	37	(trace with buffer) same (call or call-flow or call-path or callpath) same profil$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/21 22:52
S41	74	(trace) and (function or method or routine) same (invocat$3 or call$3 or call-flow or call-path or callpath or path or flow) same (id or identifier or indentif$4) and (branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 13:36
S43	166	(trace) same (invocat$3 or call$3 or call-flow or call-path or callpath or path or flow) and (branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 00:04
S45	218	(trace) same (function or method or routine or invocat$3 or call$3 or call-flow or call-path or callpath or path or flow) and(branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 10:21

S46	20	(trace) same (function or method or routine or invocat$3 or call$3 or call-flow or call-path or callpath or path or flow) same (sum or edge) and(branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 09:53
S51	139	(trace) and (path or flow) same (sub$1routine or sub$1set) and(branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 10:12
S54	19	(compress$4 or compact$3) same (trace) same (function or method or routine or invocat$3 or call$3 or call-flow or call-path or callpath or path or flow or sub$1routine) and(branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 10:25
S62	131	(trace) and (flow or path) with call and(branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 10:51
S68	166	(trace) same (invocat$3 or call$3 or call-flow or call-path or callpath or path or flow) and (branch) same (uncondition$3 same condition$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 11:09
S71	175	trace with path with profil$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 11:15
S82	4	"6647491"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 11:32

EAST Search History

S83	1	intel.asn. and (trace) same (path or flow) with profil$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 13:35
S86	84	intel.asn. and (compact$3 or compress$3) same (trace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 13:36
S90	21	(trace) and path with profil$4 with (sum or number) and(branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 14:34
S93	30	path with profil$4 with (count) and(branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/22 14:43

Google

Web   Images   Video   News   Maps   more »

| trace buffer function call path profiling . | | Search | Advanced Search
                                                                Preferences

---

Web   Results **1 - 10** of about **527,000** for **trace buffer function call path profiling**. (**0.29** seconds)

[PS] **Path Prof1 Prof2 ACDF 90 110 ACDEF 60 40 ABCDF 0 0 ABCDEF 100 100 ...**
File Format: Adobe PostScript - View as Text
efficient edge **profiling**. **Path profiling** also identifies longer ... mentation code appends a
bit to a **trace buffer** that records. branch outcomes. ...
ftp://ftp.cs.wisc.edu/wwt/micro96.ps - Similar pages

[PDF] **Problem Diagnosis in Large-Scale Computing Environments**
File Format: PDF/Adobe Acrobat - View as HTML
profile can seamlessly include **call path** profiles. For. example, assume that an execution
trace contains. two paths to **function** C: (A → B → C) and ...
ftp://ftp.cs.wisc.edu/paradyn/papers/Mirgorodskiy06ProblemDiagnosis.pdf - Similar pages

[PDF] Efficient **Path Profiling**
File Format: PDF/Adobe Acrobat - View as HTML
mentation code appends a bit to a **trace buffer** that records. branch outcomes. ... ment and
forcing a **function call** in awkward places. This ...
pag.csail.mit.edu/6.883/readings/p46-ball.pdf - Similar pages

[PS] **Performance Monitoring Hardware Design Issues for Dynamically ...**
File Format: Adobe PostScript - View as Text
branch registers, forming a **trace buffer** that. records the **path** consisting of the last N ...
Function call/return traces may separately. be provided. ...
www.cs.ucsd.edu/~calder/fdo/fdo1/papers/pfdc-glew.ps.Z - Similar pages

[PDF] **TraceBack: First Fault Diagnosis by Reconstruction of Distributed ...**
File Format: PDF/Adobe Acrobat - View as HTML
trace accurately depicts which instrumented **function call**. eventually lead to the
exception ... extensions to **path profiling** [28]. TraceBack breaks its **path** ...
www.cs.utexas.edu/~witchel/pubs/pldi05ayers.pdf - Similar pages

Analog Devices : Embedded Processing & DSP : Technical Support ...
22017 : Trailing / on final include **path** with .IMPORT fails compilation ... One workaround is
to ensure that you never **call a function** with 64 or more bytes ...
www.analog.com/processors/cda/epTASearchResult/0,3001,,00.html - 961k -
Cached - Similar pages

Dynamic Tracing (DTrace) - Quick Reference
The DTrace raise **function** does not support signal queuing: only one DTrace ...
speculation, int speculation(void), Reserve a speculative **trace buffer** for ...
partneradvantage.sun.com/protected/solaris10/adoptionkit/tech/dtrace/usage.html - 39k -
Cached - Similar pages

[PDF] **Design and Implementation of a Lightweight Dynamic Optimization System**
File Format: PDF/Adobe Acrobat - View as HTML
the current **trace** as far as the **path profile** may guide. ... On the Itanium 2 processor,
function call/returns implicitly shift the register. stack. If **trace** ...
www.jilp.org/vol6/v6paper5.pdf - Similar pages

Profiling and Tracing | Linux Magazine
This shows that the error **path** was followed twice during execution. ... *A **trace** daemon

that pulls the **trace** information from the kernel **buffer** to a ...
www.linux-mag.com/id/2151/ - 50k - Cached - Similar pages

[PPT] K T A U Kernel Tuning and Analysis Utilities
File Format: Microsoft Powerpoint - View as HTML
Use KTAU-D to monitor (**profile/trace**) a single process (e.g., ... flat profiles with
inclusive/exclusive times and **Function call** counts are produced ...
www.cs.uoregon.edu/research/paracomp/papers/talks/kt/kt.ppt - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| trace buffer function call path profili | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

| path profiling branch | Search | Advanced Search
Preferences

New! View and manage your web history

Web   Results **1 - 10** of about **816,000** for **path profiling branch**. (0.14 seconds)

Edge **Profiling** versus **Path Profiling**: The Showdown - Ball, Mataga ...
... information than **path** profiles. Recent work on **path profiling** has suggested t. ... 110
Improving the accuracy of dynamic **branch** prediction using br. ...
citeseer.ist.psu.edu/ball98edge.html - 28k - Cached - Similar pages

Static Correlated **Branch** Prediction - Young, Smith (ResearchIndex)
The run-time information that we gather is called a **path profile**, and it summarizes how ...
2: Variable length **path branch** prediction - Stark, Patt - 1998 ...
citeseer.ist.psu.edu/young99static.html - 32k - Cached - Similar pages
[More results from citeseer.ist.psu.edu]

Efficient **Path Profiling** Using **Branch** Correlations
Efficient **Path Profiling** Using **Branch** Correlations Shinya Nozaki *,Masaki Kataoka *,Akira
Koseki **,Hideaki Komatsu **,Yoshiaki Fukazawa * ...
www.fujipress.jp/finder/xslt.php?mode=present&inputfile=IPSTP004700160011.xml - 10k -
Cached - Similar pages

Efficient **path profiling**
Bal96 Vasanth Bala. Low overhead **path profiling**. Technical report, Hewlett Packard Labs,
1996. BL93 Thomas Ball , James R. Larus, **Branch** prediction for free ...
portal.acm.org/citation.cfm?id=243857 - Similar pages

Software **profiling** for hot **path** prediction
We also show that existing sophisticated **path profiling** schemes, if used in an online ...
Improving the accuracy of dynamic **branch** prediction using **branch** ...
portal.acm.org/citation.cfm?id=356989.357008 - Similar pages
[More results from portal.acm.org]

15-745 Incremental **Path Profiling**
Path profiling is an important part of compiler optimization; however, ... Take the first
branch in the program, put its edges back into the graph, ...
www.cs.cmu.edu/~kbierhof/15745/ - 8k - Cached - Similar pages

[PDF] Incremental **Path Profiling**
File Format: PDF/Adobe Acrobat - View as HTML
The first is to implement incremental **path profiling**. Our. implementation will begin by only
profiling a single **branch**. After it is clear which **branch** ...
www.cs.cmu.edu/~kbierhof/15745/proj_prop.pdf - Similar pages

[PDF] Analyis of **Path Profiling** Information Generated with Performance ...
File Format: PDF/Adobe Acrobat - View as HTML
relates branches by keeping track of **path** execution counts. instead of simple **branch**
counts. However, **path profiling**. usually comes with a significant ...
rogue.colorado.edu/draco/papers/interact05-pmu_**path**prof.pdf - Similar pages

LSU ECE Forums :: View topic - Write up for prior work.....
Another type of **profiling** used to improve **branch** prediction is **path profiling**. **Path**
profiling collects information on the paths taken during the execution ...
www.ece.lsu.edu/phpBB2/viewtopic.php?t=321&sid=1f8791f1a4972caa38f18f64d43fec60 -
26k - Cached - Similar pages

[PPT] <u>Practical **Path Profiling** for Dynamic Optimizers</u>
File Format: Microsoft Powerpoint - <u>View as HTML</u>
Practical **path profiling**; Methodology. Edge **profile**-guided inlining and unrolling;
Measuring accuracy with **branch**-flow metric. Accuracy and overhead **...**
www.cs.utexas.edu/users/mikebond/ppp-cgo-2005-talk.ppt - Similar pages

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   <u>**Next**</u>

Download <u>Google Pack</u>: free essential software for your PC

| path profiling branch | | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

compacting trace buffer path	Search	Advanced Search

Preferences

New! View and manage your web history

Web   Results **1 - 10** of about **517,000** for **compacting trace buffer path**. (0.21 seconds)

FIFO write/LIFO read trace buffer with software and hardware loop ...
Debug interface including a **compact trace** record storage ... a write **path** to shift an instruction address in one of said plurality of interconnected ...
www.patentstorm.us/patents/7155570-claims.html - 24k - Cached - Similar pages

Debug interface including a compact trace record storage - US ...
Debug interface including a **compact trace** record storage - US Patent 6094729 from ... a **trace buffer** coupled to the **trace** controller, the **trace buffer** ...
www.patentstorm.us/patents/6094729-claims.html - 29k - Cached - Similar pages
[More results from www.patentstorm.us]

Method and apparatus to compact trace in a trace buffer - Patent ...
A method and apparatus to **compact trace** in a **trace buffer** are described. ... the **path** identification value to zero, and make an entry into **trace buffer** 204 ...
www.freepatentsonline.com/20050223364.html - 56k - Cached - Similar pages

Debug interface including a compact trace record storage - Patent ...
The debug interface also includes a **trace buffer** connected to the **trace** controller. ..... The parallel port 214 interface forms a 16-bit data **path** that is ...
www.freepatentsonline.com/6094729.html - 139k - Cached - Similar pages
[More results from www.freepatentsonline.com]

[PDF] Path Grammar Guided Trace Compression and Trace Approximation
File Format: PDF/Adobe Acrobat - View as HTML
can obtain a **compact** event **trace** from a program that, when. replayed against a simulator, ... **path** value is added to a history **buffer**. Thirdly the **path** ...
www.sdsc.edu/~allans/dcfg.pdf - Similar pages

[PDF] Better Global Scheduling Using Path Profiles
File Format: PDF/Adobe Acrobat
trace buffer entries is minimized and so that fetches hit more. often in the **trace** cache. 6. Conclusions and observations. We have shown how to use **path** ...
ieeexplore.ieee.org/iel4/5957/15942/00742774.pdf?arnumber=742774 - Similar pages

[PS] Path Prof1 Prof2 ACDF 90 110 ACDEF 60 40 ABCDF 0 0 ABCDEF 100 100 ...
File Format: Adobe PostScript - View as Text
more, the **path** encoding is **compact** and minimal, so that the. maximum value for any **path** is .... mentation code appends a bit to a **trace buffer** that records ...
ftp://ftp.cs.wisc.edu/wwt/micro96.ps - Similar pages

Set Up and Gather Trace Data in CUE [Cisco Unity Express] - Cisco ...
This is because the lifespan of the internal **compact** Flash card on the AIM is related to the .... The **trace buffer** in memory can be up to 10 MB in size. ...
www.cisco.com/en/US/products/sw/voicesw/
ps5520/products_tech_note09186a0080250d90.shtml - 46k - Cached - Similar pages

[PDF] A Trace Cache Microarchitecture and Evaluation
File Format: PDF/Adobe Acrobat - View as HTML
does not match the **path** indicated within the **trace**. In the. event of a branch misprediction, the **trace buffer** begins re-. constructing the tail of the **trace** ...

www.tinker.ncsu.edu/ericro/publications/journal_IEEETC-Feb-1999.pdf - Similar pages

A **Trace** Cache Microarchitecture and Evaluation
The fill unit is proposed as the hardware mechanism for **compacting** the smaller
compiler .... In the event of a branch misprediction, the **trace buffer** begins ...
doi.ieeecomputersociety.org/10.1109/12.752652 - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

| compacting trace buffer path | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

| compacting trace buffer path profiling | | Search | Advanced Search |

Web   Results **1 - 10** of about **299,000** for <u>**compacting trace buffer path profiling**</u>. (**0.32** seconds)

[PS] **Path** Prof1 Prof2 ACDF 90 110 ACDEF 60 40 ABCDF 0 0 ABCDEF 100 100 ...
File Format: Adobe PostScript - <u>View as Text</u>
efficient edge **profiling**. **Path profiling** also identifies longer ..... mentation code appends a
bit to a **trace buffer** that records. branch outcomes. ...
ftp://ftp.cs.wisc.edu/wwt/micro96.ps - <u>Similar pages</u>

[PDF] Efficient **Path Profiling**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
more, the **path** encoding is **compact** and minimal, so that the. maximum value for any **path**
is .... mentation code appends a bit to a **trace buffer** that records ...
www-plan.cs.colorado.edu/diwan/7135/p46-ball.pdf - <u>Similar pages</u>

General event stamping scheme - US Patent 6332117
Debug interface including a **compact trace** record storage .... Robert J. Hall et al., "Call
Path Profiling of Monotonic Program Resources in UNIX", ...
www.patentstorm.us/patents/6332117-claims.html - 26k - <u>Cached</u> - <u>Similar pages</u>

System and method for providing **trace** information - US Patent 6338159
The **trace** information is presented in a manner which is **compact** and efficient ... Robert J.
Hall et al., "Call **Path Profiling** of Monotonic Program Resources ...
www.patentstorm.us/patents/6338159.html - 21k - <u>Cached</u> - Similar pages
[<u>More results from www.patentstorm.us</u>]

[PDF] Efficient **Path Profiling** - Microarchitecture, 1996., IEEE/ACM ...
File Format: PDF/Adobe Acrobat
compact and minimal, so that the. maximum value for any **path** is the number of unique
paths .... mentation code appends a bit to a **trace buffer** that records ...
ieeexplore.ieee.org/iel3/4226/12304/00566449.pdf?arnumber=566449 - <u>Similar pages</u>

[PDF] Better Global Scheduling Using **Path** Profiles
File Format: PDF/Adobe Acrobat
Keywords: **path profiling**, global instruction scheduling,. superblock scheduling ...... **trace**
buffer entries is minimized and so that fetches hit more ...
ieeexplore.ieee.org/iel4/5957/15942/00742774.pdf?arnumber=742774 - <u>Similar pages</u>

Edge **profiling** versus **path profiling**
BL96 Thomas Ball , James R. Larus, Efficient **path profiling**, Proceedings of the 29th ...
Trace scheduling: A technique for global microcode **compaction**. ...
portal.acm.org/citation.cfm?id=268958 - <u>Similar pages</u>

[PDF] Better Global Scheduling Using **Path** Profiles
File Format: PDF/Adobe Acrobat
Prior work in **path profiling** collected execution frequen- ..... **trace buffer** entries is
minimized and so that fetches hit more. often in the **trace** cache. ...
portal.acm.org/ft_gateway.cfm?id=290968&type=pdf&dl=portal&dl=ACM - <u>Similar pages</u>
[<u>More results from portal.acm.org</u>]

[PS] Impact of **Path Profile** Estimation on Superblock Formation
File Format: Adobe PostScript - <u>View as Text</u>
For example, Ball and Larus [4] noted that even efficient **path profiling** ..... **Trace**

scheduling: A technique for global microcode **compaction**. In IEEE Trans. ...
www.cs.cmu.edu/~jeffpang/compilers/paper.ps - Similar pages

[PDF] TraceBack: First Fault Diagnosis by Reconstruction of Distributed ...
File Format: PDF/Adobe Acrobat - View as HTML
To keep **trace** records **compact**, the DAG ID and the **path** bits .... it is less efficient at
runtime than **path profiling** systems. [4][5][15]. ...
www.cs.utexas.edu/~witchel/pubs/pldi05ayers.pdf - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

compacting trace buffer path profilin Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google